CARBOHYDRATE RESEARCH, VOL. 176 (1988)

AUTHOR INDEX

ABAAS, S., 231
ABE, J., 87
ADEYEYE, A., 231
ANTONAKIS, K., 219

BANOUB, J. H., 31
BARON, M., 117
BELLVER, C., 295
BERMAN, E., 1
BERNACKI, R. J., 59
BOCK, K., 253
BOULLANGER, P., 31
BRAVO, P. A., 97
BROWNSEY, G. J., 329

CAIRNS, P., 329
CARLSON, R. W., 127
CHAMOW, S. M., 195
CHRISTIAN, R., 160
CHUNG, C., 73

DABROWSKI, J., 1
DABROWSKI, U., 1
DAZZO, F. B., 127
DÉSCOTES, G., 31

EIS, M. J., 316

FETT, W. F., 205
FREJD, T., 253, 271, 289
FRENCH, A. D., 17

GALBIS PÉREZ, J. A., 97
GANEM, B., 316
GARCIA-HIERRO, J. I. F., 97
GAREGG, P. J., 145
GAWRONSKA, K., 79
GHOSHAL, M., 47
GHOSAL, P. K., 324
GORIN, P. A. J., 117
GUTHRIE, R. D., 306

HEDRICK, J. L., 195
HELLOU, J., 31
HELPAP, B., 155
HERSCOVICI, J., 219
HESSE, H., 165
HICKS, K. B., 205
HILGENFELD, R., 165
HIZUKURI, S., 87
HODGSON, P. G., 59
HOLLINGSWORTH, R. L., 127

IACOMINI, M., 117
IDE, T., 245
IKENAKA, T., 107
IWATA, T., 107

JACKSON, G. E., 300
JANSSON, K., 271, 289
JANSSON, P.-E., 231
JENKINS, I. D., 306
JOÃO, H. I., 300

KAMADA, Y., 237
KAWATA, M., 237
KIHLBERG, J., 253, 271, 289
KOIZUMI, K., 87
KONRADSSON, P., 145
KORYTNYK, W., 59
KUBOTA, Y., 87
KVARNSTRÖM, I., 145

LEE, H. H., 59
LEE, L. A., 211
LIANG, Y.-T., 73
LIAO, M.-L., 73
LINDBERG, B., 137, 145, 231
LINDQUIST, U., 137
LÓPEZ-CASTRO, A., 295

MAGNUSSON, G., 253, 271, 289
MAJUMDAR, S. G., 324
MÁRQUEZ, R., 295
MAZUREK, M., 117
MESSNER, P., 160
MILES, M. J., 329
MONTSERRET, R., 219
MORENO, E., 295
MORRIS, V. J., 329
MOTA, J. F., 97
MÜLLER-FAHRNOW, A., 165
MURAMATSU, H., 237
MURAMATSU, T., 237

NAKANISHI, K., 175

OGAWA, S., 309
OMICHI, K., 107
ÖRSTAN, A., 149
OSMAN, S. F., 205

PFANNEMÜLLER, B., 165

RAVENSCROFT, N., 300
RAY, B., 324
ROSOWSKY, A., 47
RUDOLPH, M., 155

SAENGER, W., 165
SAKATA, Y., 107
SATOMURA, S., 107
SCHULZ, G., 160
SEIB, P. A., 73
SEKIYA, S., 237
SHARMA, M., 59
SHIBATA, Y., 309
SLEYTR, U. B., 160
SOLAN, V. C., 47
STEINHART, H., 155
STENBERG, O., 137
STEPHEN, A. M., 300
SUNDIN, A., 271
SVENSON, S. B., 231

TABATA, S., 245
TAKAMIZAWA, H., 237
THAKUR, S., 324
THANG, S., 306
TULLOCH, A. P., 117

UTAMURA, T., 87

VAZQUEZ, J. T., 175
VICENTE, F. R., 97

WANG, S.-Y., 73
WARNER, T. G., 211
WEINER, C., 160
WIESLER, W. T., 175
WOJCIK, J. F., 149

YAMASAKI, R., 306

ZIBERNA, A. K., 31

CARBOHYDRATE RESEARCH, VOL. 176 (1988)

SUBJECT INDEX

Accessible conformations of the β-D-(2→1)- and -(2→6)-linked D-fructans inulin and levan, 17

N-Acetylneuraminic acid, azidoaryl thioglycoside, synthesis of, 211

2-Amino-2-deoxy-α-D-glucopyranoside, synthesis of [(1*S*)-(1,2,4/3,5)-2,3,4-trihydroxy-5-hydroxymethyl-1-cyclohexyl], a biologically active pseudo-trehalosamine, 309

4-Amino-3-(2,3,5-tri-*O*-benzyl)-β-D-ribofuranosyl)-5-pyrazolecarbonitrile, synthesis of, 47

Amylase, alpha, synthesis of *p*-nitrophenyl 6^5-*O*-benzyl-α-maltopentaoside as a substrate for, 107

3,6-Anhydro and 6-*O*-methyl-1-fluoro derivatives of galabiose, unexpected formation of the, on attempted substitution of HO-6 by fluorine in methyl β-D-galabioside, 289

3′,6′-Anhydrosucrose, formation of, by Mitsunobu dehydration of sucrose, 306

L-Arabinitol, 3-*O*-α-D-galactopyranosyl-, structural aspects of, 300

L-Arabinose, 3-*O*-α-D-galactopyranosyl-, and the corresponding substituted L-arabinitol, structural aspects of, 300

L-Ascorbate 6-phosphate, synthesis of, 73

Azidoaryl thioglycoside of sialic acid, synthesis of, 211

Azo dye- cyclomaltohexaose, inclusion complex, effect of dimethylsulfoxide on, 149

Branched cyclomaltoheptaoses, enzymic syntheses of doubly, through the reverse action of *Pseudomonas* isoamylase, 87

Calf fetuin, a two-dimensional ^{1}H- and ^{13}C-n.m.r. study of *N*-linked glycopeptides derived from, 1

Carazolol, synthesis of the glucuronide of, 155

Cellulose, distribution of substituents in *O*-ethyl-*O*-(2-hydroxyethyl)-, 137

Circular dichroism spectra of bichromophorically derivatized methyl D-galactopyranosides, calculable by pairwise additivity, provide a basis for novel microanalysis of oligosaccharides, 175

Clostridium thermohydrosulfuricum strain L111-69, structure of a glycan from the surface-layer glycoprotein of, 160

Conformation of methyl 4-*O*-α-D-galactopyranosyl-β-D-galactopyranoside (methyl β-D-galabioside) and related derivatives determined by n.m.r. and computational methods, 253

Conformations, accessible, of the β-D-(2→1)- and -(2→6)-linked D-fructans inulin and levan, 17

Conformations of 2,3:4,5- and 2,4:3,5-di-*O*-isopropylidene-D-mannitol, synthesis and, 79

A core oligosaccharide component from the lipopolysaccharide of *Rhizobium trifolii* ANU843, 127

Crystal and molecular structure of 5-(α-D-erythrofuranosyl)-3-methyl-2(3*H*)-thiazole-2-thione, 295

Cyclomaltohexaose–azo dye inclusion complex, effect of dimethylsulfoxide on, 149

Cyclomaltoheptaoses, enzymic synthesis of doubly branched, through the reverse action of *Pseudomonas* isoamylase, 87

D-*galacto* Derivatives having an ethynyl, vinyl, or epoxy residue at C-5, synthesis of, 59

Di-*O*-isopropylidene-D-mannitol, synthesis and conformations of 2,3:4,5- and 2,4:3,5-, 79

Dimethyl sulfoxide, effect on cyclomaltohexaose-azo dye inclusion complex of, 149

Dimethyl sulfoxide extraction of lichens, D-glucose obtained by, 117

Distribution of substituents in *O*-ethyl-*O*-(2-hydroxyethyl)cellulose, 137

Electrochemical detection of reducing carbohydrates produced by the transferase action of yeast debranching enzyme on maltosaccharides, 245

Enzymic syntheses of doubly branched cyclomaltoheptaoses through the reverse action of *Pseudomonas* isoamylase, 87

Epoxy residue at C-5, synthesis of D-*galacto* derivatives having an, 59

5-(α-D-Erythrofuranosyl)-3-methyl-2(3*H*)-thiazole-2-thione, crystal and molecular structure of, 295

Escherichia coli O-149, O-antigen polysaccharide, structural studies of the, 231

Ethynyl residue at C-5, synthesis of D-*galacto* derivatives having an, 59

Formation of the 3,6-anhydro and 6-*O*-methyl-1-fluoro derivatives of galabiose on attempted substitution of HO-6 by fluorine in methyl β-D-galabioside, 289

Formycin analog, sugar-blocked 5,7-disubstituted, synthesis of, 47

D-Fructans, β-D-(2→1)- and -(2→6)-linked, accessible conformations of, 17

D-Galactopyranosides, methyl, circular dichroism spectra of bichromophorically derivatized, calculable by pairwise additivity, 175
4-*O*-α-D-Galactopyranosyl-β-D-galactopyranoside and related derivatives, the conformation of methyl, determined by n.m.r. and computational methods, 253
D-Glucans obtained by dimethyl sulfoxide extraction of lichens, 117
D-Gluconamide, molecular and crystal structures of *N*-(*n*-heptyl)- and *N*-(*n*-decyl)-, 165
Glucuronide of Carazolol, synthesis of the, 155
Glycan from the surface-layer glycoprotein of *Clostridium thermohydrosulfuricum* strain L111-69, structure of a, 160
Glycopeptides derived from calf fetuin, a two-dimensional ^{1}H- and ^{13}C-n.m.r. study of *N*-linked, 1
Glycopeptides from murine teratocarcinoma cells: structure of the determinants recognised by *Griffonia simplicifolia* agglutinin I and by sera from patients with ovarian germ cell tumors, 237
Glycosides, hydrolysis of, under reducing conditions, 145

Heptopyranose, 7-deoxy-D-*glycero*-D-*galacto*-, mass-spectral identification of various derivatives of, 31
Heptopyranose, 7-deoxy-L-*glycero*-D-*galacto*-, mass-spectral identification of various derivatives of, 31
N-(*n*-Heptyl)- and *N*-(*n*-decyl)-D-gluconamide, molecular and crystal structures of, 165
^{1}H-N.m.r. (500 MHz) and ^{13}C-n.m.r. (125 MHz) study of *N*-linked glycopeptides derived from calf fetuin, a two-dimensional, 1
Hydrolysis of glycosides under reducing conditions, 145

Imidazole from 1-aryl-(1,2-dideoxy-β-D-*glycero*-L-*gluco*-heptofurano)[2,1-*d*]imidazolidine-2-thiones, synthesis of new *C*-nucleoside analogues of the, 97
An improved synthesis of D-perosamine and some derivatives, 316
Intermolecular bonding between xanthan and the glucomannan konjac mannan, evidence for, 329
Inulin, accessible conformations of, 17

Konjac mannan, evidence for intermolecular binding between xanthan and the glucomannan, 329

Lectin binding and antigenic sites in glycopeptides from murine teratocarcinoma cells, structural studies of the determinants at the, 237
Levan, accessible conformations of, 17
Lichens, D-glucans obtained by dimethyl sulfoxide extraction of, 17
Lipopolysaccharide, of *Rhizobium trifolii* ANU843, a core oligosaccharide from the, 127

α-Maltopentaoside, *p*-nitrophenyl 6^{5}-*O*-benzyl-, a substrate for alpha amylase, synthesis of, 107
Maltosaccharides, electrochemical detection of reducing carbohydrates produced by the transferase action of yeast debranching enzyme on, 245
Mass-spectral identification of various derivatives of 7-deoxy-D-*glycero*-D-*galacto*- and 7-deoxy-L-*glycero*-D-*galacto*-heptopyranose, 31
Methyl 4-*O*-α-D-galactopyranosyl-β-D-galactopyranoside and related derivatives, the conformation of, determined by n.m.r. and computational methods, 253
Methyl 4-*O*-α-D-galactopyranosyl-β-D-galactopyranoside (methyl β-D-galabioside), unexpected formation of the 3,6-anhydro and 6-*O*-methyl-1-fluoro derivatives of galabiose on attempted substitution of HO-6 by fluorine in, 289
Methyl 4-*O*-α-D-galactopyranosyl-β-D-galactopyranoside, preparation and calculated conformations of the 2-deoxy, 6-*O*-methyl, 6-deoxy, and 6-deoxy-6-fluoro derivatives of, 271
A micromethod for the estimation of oligosaccharides containing glycosidically linked sialic acid or hexoses, or both, in glycoproteins, 195
Mirabilis jalapa, structural studies of a neutral polysaccharide, from the root bulb of, 324
Mitsunobu dehydration of sucrose, formation of 3′,6′-anhydrosucrose by, 306
Molecular and crystal structures of *N*-(*n*-heptyl)- and *N*-(*n*-decyl)-D-gluconamide, 165
Murine teratocarcinoma cells, structural studies of the determinants at the lectin binding and antigenic sites in glycopeptides from, 237

C-Nucleoside analogues of the imidazole from 1-aryl-(1,2-dideoxy-β-D-*glycero*-L-*gluco*-heptofurano)[2,1-*d*] imidazolidine-2-thiones, synthesis of new, 97
Nucleosides, an improved method for the preparation of 2′,3′-unsaturated, and application to the synthesis of stereospecifically labelled ketonucleosides, 219

O-Antigen, of *Pseudomonas syringae* pv. *phaseolica* strain NPS 3121, structure of the, 205

Oligosaccharide, a core component, from the lipopolysaccharide of *Rhizobium trifolii* ANU843, 127
Oligosaccharides, containing glycosidically linked sialic acid or hexoses or both, in glycoproteins, a micromethod for the estimation of, 195
Oligosaccharides, novel microanalysis of, by use of circular dichroism spectra of bichromophorical derivatives, 175

D-Perosamine, and some derivatives, an improved synthesis of, 316
6-Phosphate of L-ascorbic acid, synthesis of, 73
Polysaccharide from the root bulb of *Mirabilis jalapa*, structural studies of a neutral, 324
Polysaccharide, structural studies of the *Escherichia coli* O-149 O-antigen, 231
Preparation and calculated conformations of the 2-deoxy, 6-*O*-methyl, 6-deoxy, and 6-deoxy-6-fluoro derivatives of methyl 4-*O*-α-D-galactopyranosyl-β-D-galactopyranoside, 271
Preparation of 2′,3′-unsaturated nucleosides, an improved method for the, 219
Pseudo-trehalosamine {[(1*S*)-(1,2,4/3,5)-2,3,4-trihydroxy-5-hydroxymethyl-1-cyclohexyl] 2-amino-2-deoxy-α-D-glucopyranoside}, synthesis of biologically active, 309
5-Pyrazolecarbonitrile, 4-amino-3-(2,3,5-tri-*O*-benzyl)-β-D-ribofuranosyl)-, synthesis of, 47

Receptor analogues of methyl 4-*O*-α-D-galactopyranosyl-β-D-galactopyranoside (methyl β-D-galabioside), preparation and calculated conformations of, 271
Reducing conditions, hydrolysis of glycosides under, 145

Stereospecifically labelled ketonucleosides, an improved method for the preparation of 2′,3′-unsaturated nucleosides and its application to the synthesis of, 219
Structural aspects of 3-*O*-α-D-galactopyranosyl-L-arabinose and the corresponding substituted L-arabinitol, 300
Structural studies of a neutral polysaccharide from the root bulb of *Mirabilis jalapa*, 324
Structural studies of the *Escherichia coli* O-149 O-antigen polysaccharide, 231
Structure of a glycan from the surface-layer glycoprotein of *Clostridium thermohydrosulfuricum* strain L111-69, 160
Structure of 5-(α-D-erythrofuranosyl)-3-methyl-2(3*H*)-thiazole-2-thione, crystal and molecular, 295
Structure of the *O*-antigen of *Pseudomonas syringae* pv. *phaseolica* strain NPS 3121, 205
Substituents in *O*-ethyl-*O*-(2-hydroxyethyl)cellulose, distribution of, 137
Sucrose, formation of 3′,6′-anhydrosucrose by Mitsunobu dehydration of, 306
Synthesis and conformations of 2,3:4,5- and 2,4:3,5-di-*O*-isopropylidene-D-mannitol, 79
Synthesis of biologically active pseudo-trehalosamine {[(1*S*)-(1,2,4/3,5)-2,3,4-trihydroxy-5-hydroxymethyl-1-cyclohexyl] 2-amino-2-deoxy-α-D-glucopyranoside}, 309
Synthesis of new *c*-nucleoside analogues of the imidazole from 1-aryl-(1,2-dideoxy-β-D-*glycero*-L-*gluco*-heptofurano)[2,1-*d*] imidazolidine-2-thiones, 97
Synthesis of *p*-nitrophenyl 6^5-*O*-benzyl-α-maltopentaoside, a substrate for alpha amylase, 107
Synthesis of the glucuronide of Carazolol, 155

Thiosialic acid, azidoaryl glycoside, synthesis of, 211
Transferase action of yeast debranching enzyme on maltosaccharides, electrochemical detection of reducing carbohydrates produced by the, 245

Vinyl residue at C-5, synthesis of D-*galacto* derivatives having an, 59

Xanthan and the glucomannan konjac mannan, evidence for intermolecular binding between, 329